



| <b>Alloy 304</b> (Min 18% Chromium / Min 8% Nickel) |                                       |                                 |                            |                            |                                       |                                       |
|---|---------------------------------------|---------------------------------|----------------------------|----------------------------|---------------------------------------|---------------------------------------|
| (2B)<br>No.2 B<br>Gauge (mm)                        | (BA)<br>Bright Annealed<br>Gauge (mm) | (HL)<br>Hair Line<br>Gauge (mm) | (N4)<br>No.4<br>Gauge (mm) | (N8)<br>No.8<br>Gauge (mm) | (ND)<br>Non-Directional<br>Gauge (mm) | (CP)<br>Checkered Plate<br>Gauge (mm) |
| 0.3   | 0.4                                   | 0.7                             | 0.4                        | 0.8                        | 0.8                                   | 3.0                                   |
| 0.4   | 0.6                                   | 0.8                             | 0.5                        | 0.9                        | 0.9                                   |                                       |
| 0.5   | 0.8                                   | 0.9                             | 0.8                        | 1.0                        | 1.0                                   |                                       |
| 0.6   | 0.9                                   | 1.0                             | 0.9                        | 1.2                        | 1.2                                   |                                       |
| 0.7   | 1.0                                   | 1.5                             | 1.0                        | 1.5                        | 1.5                                   |                                       |
| 0.8   |                                       | 2.0                             | 1.2                        | 2.0                        | 2.0                                   |                                       |
| 0.9   |                                       |                                 | 1.5                        | 3.0                        |                                       |                                       |
| 1.0   |                                       |                                 | 2.0                        |                            |                                       |                                       |
| 1.2   |                                       |                                 |                            |                            |                                       |                                       |
| 2.0   |                                       |                                 |                            |                            |                                       |                                       |
| 4.0   |                                       |                                 |                            |                            |                                       |                                       |

| <b>Alloy 316L</b> (higher Nickel / bearing Molybdenum / lower Carbon) |                                 |                            |                            |                                       |                                       |
|---|---------------------------------|----------------------------|----------------------------|---------------------------------------|---------------------------------------|
| (2B)<br>No.2 B<br>Gauge (mm)  | (HL)<br>Hair Line<br>Gauge (mm) | (N4)<br>No.4<br>Gauge (mm) | (N8)<br>No.8<br>Gauge (mm) | (ND)<br>Non-Directional<br>Gauge (mm) | (CP)<br>Checkered Plate<br>Gauge (mm) |
| 0.3   | 0.8                             | 1.0                        | 1.2                        | 0.8                                   | 3.0                                   |
| 0.4   | 1.0                             | 2.0                        | 3.0                        | 1.0                                   |                                       |
| 0.5   | 1.2                             |                            |                            | 1.2                                   |                                       |
| 0.6   | 1.5                             |                            |                            | 1.5                                   |                                       |
| 0.7   | 2.0                             |                            |                            | 2.0                                   |                                       |
| 0.8   |                                 |                            |                            |                                       |                                       |
| 1.0   |                                 |                            |                            |                                       |                                       |
| 1.2   |                                 |                            |                            |                                       |                                       |
| 1.5   |                                 |                            |                            |                                       |                                       |
| 2.0   |                                 |                            |                            |                                       |                                       |

  

| SUS 420J<br>(2B)<br>No.2 B<br>Gauge (mm) | SUS 430<br>(BA)<br>Bright Annealed<br>Gauge (mm) |
|--|--|
| 0.8                                      | 0.5  |

**SLIT COIL**

\*Width: 20mm to 1,550mm (subject to thickness of material)

\*Thickness: 0.3mm to 2.0mm

**CUT TO LENGTH**

\*Width: 90mm to 1,524mm

\*Thickness: 0.5m to 2.0mm

\*Length: 250mm to 4,700mm